

北京市第十七届运动会社会组保龄球比赛 竞赛场馆与油型技术信息

一、球馆信息

竞赛场馆：北京地坛保龄球馆

球道数：16 条

助走区：AMF 原厂球道板

球道：AMF 原厂球道板

球瓶品牌：Qubica AMF

球瓶重量：3.8 lbs

置瓶设备：AMF8800

管理系统：Conqueror 管理系统

二、落油器材

落油机：Kegel

球道油：Kegel-Ice

清洁剂：Kegel Defense - C

三、落油标准

采用 2025 年中华人民共和国第十五届运动会群众组保龄球项目竞赛油型

短油:


FLEX 2019 ABF Asian Championships-Medium



Oil Pattern Distance	39	Reverse Brush Drop	36	Oil Per Board	Multi ul
Forward Oil Total	17.28 mL	Reverse Oil Total	11.43 mL	Volume Oil Total	28.71 mL
Tank Configuration	Multi Tank	Tank A Conditioner	FIRE	Tank B Conditioner	FIRE


START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL	
1	2L	2R	7	45	14	4	A	259	0.0	11.9	11.9	11655
2	5L	5R	1	45	18	3	B	31	11.9	14.4	2.5	1395
3	8L	7R	2	45	18	3	B	52	14.4	19.5	5.1	2340
4	11L	9R	2	45	18	3	B	42	19.5	24.6	5.1	1890
5	2L	2R	0	45	22	3	B	0	24.6	39.0	14.4	0

START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL	
1	2L	2R	0	45	30	3	A	0	39.0	33.0	-6.0	0
2	11L	9R	1	45	22	3	A	21	33.0	29.9	-3.1	945
3	9L	8R	1	45	22	3	A	24	29.9	26.8	-3.1	1080
4	7L	6R	1	45	22	3	A	28	26.8	23.7	-3.1	1260
5	4L	4R	1	45	22	3	B	33	23.7	20.6	-3.1	1485
6	2L	2R	4	45	22	3	B	148	20.6	8.2	-12.4	6660
7	2L	2R	0	45	18	4	B	0	8.2	4.0	-4.2	0
8	2L	2R	0	45	14	4	B	0	4.0	0.0	-4.0	0



Cleaner Ratio Main Mix 5:1 Forward
 Cleaner Ratio Back End Mix 5:1 Reverse
 Cleaner Ratio Back End Distance 59 Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

Item	3L-7L, 18L-18R	8L-12L, 18L-18R	13L-17L, 18L-18R	18L-18R, 17R-13R	18L-18R, 12R-8R	18L-18R, 7R-5R
Description	OutsideMiddle	MiddleMiddle	InsideMiddle	Middle Inside	MiddleMiddle	MiddleOutside
Track Zone Ratio	1.59	1.11	1	1	1.03	1.52



长油:




2019 ABF Asian Championships-Long



Oil Pattern Distance	46	Reverse Brush Drop	40	Oil Per Board	Multi ul
Forward Oil Total	15.92 mL	Reverse Oil Total	13.25 mL	Volume Oil Total	29.17 mL
Tank Configuration	Multi Tank	Tank A Conditioner	FIRE	Tank B Conditioner	FIRE

START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	TOIL
1	2L	2R	6	30	18	4	A+B	222	0.0	12.7	13320
2	9L	9R	1	40	18	3	B	23	12.7	15.2	2.5
3	12L	11R	1	40	18	3	B	18	15.2	17.7	2.5
4	15L	14R	1	40	18	3	A	12	17.7	20.2	2.5
5	18L	16R	1	40	22	3	A	7	20.2	23.3	3.1
6	19L	17R	1	40	22	3	A	5	23.3	26.4	3.1
7	2L	2R	0	45	22	3	A	0	26.4	46.0	19.6

START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	TOIL
1	2L	2R	0	50	30	3	A	0	46.0	33.0	-13.0
2	14L	12R	1	50	22	3	A	15	33.0	29.9	-3.1
3	12L	10R	1	50	22	3	A	19	29.9	26.8	-3.1
4	9L	8R	1	50	22	3	A	24	26.8	23.7	-3.1
5	7L	6R	1	50	22	3	B	28	23.7	20.6	-3.1
6	5L	5R	1	50	22	3	B	31	20.6	17.5	-3.1
7	2L	2R	4	50	22	3	B	148	17.5	5.1	-12.4
8	2L	2R	0	30	18	4	B	0	5.1	4.0	-1.1
9	2L	2R	0	30	14	4	B	0	4.0	0.0	-4.0



Cleaner Ratio Main Mix 5:1 Forward
 Cleaner Ratio Back End Mix 5:1 Reverse
 Cleaner Ratio Back End Distance 59 Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L, 18L-18R	8L-12L, 18L-18R	13L-17L, 18L-18R	18L-18R, 17R-17R	18L-18R, 12R-8R	18L-18R, 7R-3R
Description	OutsideMiddle	MiddleMiddle	InsideMiddle	Middle: Inside	MiddleMiddle	MiddleOutside
Track Zone Ratio	1.96	1.44	1.14	1.07	1.33	1.91

